

番号: 10575708(1) A1 日付: 24-Jan-2024 ページ 1 of 7

水口化成株式会社 〒 935-0031 富山県氷見市柳田12-1

申込者から提出された試料(サンプル)は、以下の通りです。

製品名(試料名) : ポリエチレンフィルム

受領日(サンプル) : 17-Jan-2024

測定期間 : 17-Jan-2024 to 24-Jan-2024

測定条件 : 依頼者の指定により、RoHS 2011/65/EU 付録 II と(EU) 2015/863

に準じてカドミウム、鉛、水銀、六価クロム、PBBs、PBDEs、DBP、

BBP、DEHP、DIBPの測定を行いました。

測定結果 : 次のページをご参照下さい。

結 論 : 当該サンプルのカドミウム、鉛、水銀、六価クロム、PBBs、PBDEs、 DBP、

BBP、DEHP、DIBPの測定結果は、RoHS 2011/65/EU Annex II とその更新の(EU) RoHS 指令2015/863の基準値を満たしています。

Signed for and on behalf of SGS Testing & Control Services Singapore Pte Ltd

Y.C. Tham Technical Manager, Multi-Lab

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS Testing & Control Services Singapore Pte Ltd

30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com www.sgs.com

Member of SGS Group

Co. Reg. No: 199404065N GST Reg. No: MR-8500112-9



番号: 10575708(1) A1 日付: 24-Jan-2024 ページ 2 of 7

測定結果:

測定部位 : プラスチックフィルム(白黒)

測定項目	単位	測定方法	結果	MDL	規制値
カドミウム	mg/kg	IEC 62321-5: 2013参照、ICP- OESで測定.	n.d.	2	100
鉛	mg/kg	IEC 62321-5: 2013参照、ICP- OESで測定.	n.d.	2	1000
水銀	mg/kg	IEC 62321- 4:2013+AMD1:2017参照、ICP- OESで測定.	n.d.	2	1000
六価クロム	mg/kg	IEC 62321-7-2: 2017参照、UV- VISで測定.	n.d.	8	1000
PBBsの合計	mg/kg		n.d.	-	1000
モノブロモビフェニル	mg/kg	1	n.d.	5	-
ジブロモビフェニル	mg/kg	1	n.d.	5	-
トリブロモビフェニル	mg/kg	1	n.d.	5	-
テトラブロモビフェニル	mg/kg		n.d.	5	-
ペンタブロモビフェニル	mg/kg		n.d.	5	-
ヘキサブロモビフェニル	mg/kg		n.d.	5	-
ヘプタブロモビフェニル	mg/kg		n.d.	5	-
オクタブロモビフェニル	mg/kg		n.d.	5	-
ノナブロモビフェニル	mg/kg		n.d.	5	-
デカブロモビフェニル		IEC 62321-6:	n.d.	5	-
PBDEsの合計	mg/kg	2015参照、GC/MSで測定.	n.d.	-	1000
モノブロモジフェニルエーテル	mg/kg		n.d.	5	-
ジブロモジフェニルエーテル	mg/kg		n.d.	5	-
トリブロモジフェニルエーテル	mg/kg		n.d.	5	-
テトラブロモジフェニルエーテル	mg/kg		n.d.	5	-
ペンタブロモジフェニルエーテル	mg/kg]	n.d.	5	-
ヘキサブロモジフェニルエーテル	mg/kg		n.d.	5	-
ヘプタブロモジフェニルエーテル	mg/kg		n.d.	5	-
オクタブロモジフェニルエーテル	mg/kg		n.d.	5	-
ノナブロモジフェニルエーテル	mg/kg		n.d.	5	-
デカブロモジフェニルエーテル	mg/kg	1	n.d.	5	-

This document is issued by the Company under its General Conditions of Service accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS Testing & Control Services Singapore Pte Ltd

30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com $\,$ www.sgs.com $\,$



検査報告書 番号 : 10575708(1) A1 日付: 24-Jan-2024 ページ 3 of 7

測定結果:

測定部位 : プラスチックフィルム(白黒)

測定項目	単位	測定方法	結果	MDL	規制値
フタル酸ブチルベンジル(BBP)	mg/kg	IEC 62321-8: 2017 参照、GC/MSで測定.	n.d.	50	1000
フタル酸 ジブチル(DBP)	mg/kg	IEC 62321-8: 2017 参照、GC/MSで測定.	n.d.	50	1000
フタル酸ビス(2-エチルヘキシル) (DEHP)	mg/kg	IEC 62321-8: 2017 参照、GC/MSで測定.	n.d.	50	1000
フタル酸ジイソブチル (DIBP)	mg/kg	IEC 62321-8: 2017 参照、GC/MSで測定.	n.d.	50	1000

備考: (1) mg/kg = ppm; 0.1wt% = 1000ppm

- (2) n.d.= Not Detected 検出せず (<方法検出下限值)
- (3) MDL = Method Detection Limit (方法検出下限值)
- (4) "-" = Not regulated (規制の対象外)
- (5) 適合性結果は、試験結果と制限値を比較して判定しました。

特に明記されていない限り、適合性報告の決定規則はバイナリステートメントに基づいています ILAC-G8:09/2019に記載されている単純な受け入れルール(w = 0)の場合

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS Testing & Control Services Singapore Pte Ltd

30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com www.sgs.com

Co. Reg. No: 199404065N GST Reg. No: MR-8500112-9 Member of SGS Group




番号: 10575708(1) A1 日付: 24-Jan-2024 ページ 4 of 7

<u>サンプル写真:</u>

測定部位: プラスチックフィルム(白黒)

SGS authenticate the photo on original report only 本写真は報告書原紙でのみ有効で、複写禁止です。



This document is issued by the Company under its General Conditions of Service accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS Testing & Control Services Singapore Pte Ltd


30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com www.sgs.com



番号: 10575708(1) A1 日付: 24-Jan-2024 ページ5 of 7

分析フローチャート

このサンプルは以下のフローチャートで示す前処理によって完全溶解しました。(六価 クロム分析は除く)



This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

> 30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com www.sgs.com Co. Reg. No: 199404065N


SGS Testing & Control Services Singapore Pte Ltd

GST Reg. No: MR-8500112-9



番号: 10575708(1) A1 日付: 24-Jan-2024 ページ 6 of 7

PBBs / PBDEs 分析フローチャート



This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com www.sgs.com

Co. Reg. No: 199404065N GST Reg. No: MR-8500112-9 Member of SGS Group


SGS Testing & Control Services Singapore Pte Ltd



番号: 10575708(1) A1 日付: 24-Jan-2024 ページ 7 of 7

フタル酸エステル分析フローチャート

測定方法: IEC 62321-8



** 以上 **

This document is issued by the Company under its General Conditions of Service accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Co. Reg. No: 199404065N GS

30 Boon Lay Way, #03-01, Singapore 609957 t +65 6379 0111 e sg.genlab@sgs.com www.sgs.com

Member of SGS Group